

Adobe Photoshop

File Formats

Specification

June 2012

Copyright © 1991-2012 Adobe Systems Incorporated. All rights reserved.

Portions Copyright © 1990-1991, Thomas Knoll.

The information in this document is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe Systems Incorporated. Adobe Systems Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in this document. The software described in this document is furnished under license and may only be used or copied in accordance with the terms of such license.

Adobe, After Effects, PhotoDeluxe, Adobe Premiere, Photoshop, Adobe Illustrator, Adobe Type Manager, ATM and PostScript are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. Apple, Macintosh, and Mac are trademarks of Apple Computer, Inc. registered in the United States and other countries. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other products are the property of their respective owners.

The Photoshop File Format

Introduction

This chapter discusses the Photoshop native file format

Photoshop file types

OS	Filetype/extension
Mac OS	8BPS
Windows	.PSD

Large Document Format

The Large Document Format (8BPB/PSB) supports documents up to 300,000 pixels in any dimension. All Photoshop features, such as layers, effects, and filters, are supported by the PSB format. The PSB format is identical to the Photoshop native format in many ways. This document will cover the differences found in the PSB format by donating a ****PSB**** marker.

Windows

All data is stored in big endian byte order. On the Windows platform, you must byte swap short and long integers when reading or writing.

Mac OS

For cross-platform compatibility, all information needed by Photoshop is stored in the data fork. For interoperability with other Macintosh applications, however, some information is duplicated in resources stored in the resource fork of the file:

For compatibility with image cataloging applications, the 'phot' resource id 0 contains references to thumbnail, keywords, and caption information stored in other resources.

The thumbnail picture is stored in a 'PICT' resource, the keywords are stored in 'STR#' resource 128 and the caption text is stored in


'TEXT' resource 128. For more information on the format of these resources see *Inside Macintosh: QuickTime Components* and the *Extensis Fetch Awareness Developer's Toolkit*.

Photoshop also creates ' icl8 '-16455 and ' ICN# '-16455 resources containing thumbnail images which will be shown in the Mac OS Finder.

All of the data from Photoshop's File Info dialog is stored in ' ANPA ' resource 10000. The data in this resource is stored as an IPTC-NAA record 2. For more information on the format of this resource, see the documents in the IPTC folder of the Documentation folder.

Photoshop File Format

The Photoshop file format is divided into five major parts, as shown in the [Photoshop file structure](#). The Photoshop file format has many length markers. Use these length markers to move from one section to the next. The length markers are usually padded with bytes to round to the nearest 2 or 4 byte interval.



File header ([File Header Section](#)).

Color mode data ([Color Mode Data Section](#))

Image resources ([Image Resources Section](#))

Layer and mask information ([Layer and Mask Information Section](#))

Image data ([Image Data Section](#)).

The file header has a fixed length; the other four sections are variable in length.

When writing one of these sections, you should write all fields in the section, as Photoshop may try to read the entire section. Whenever writing a file and skipping bytes, you should explicitly write zeros for the skipped fields.

When reading one of the length-delimited sections, use the length field to decide when you should stop reading. In most cases, the length field indicates the number of bytes, not records, following.

The values in "Length" column in all tables are in bytes.

All values defined as Unicode strings consist of:

- A 4-byte length field, representing the number of characters in the string (not bytes).

- The string of Unicode values, two bytes per character.

File Header Section

The file header contains the basic properties of the image.

File header section

Length	Description
4	Signature: always equal to '8BPS'. Do not try to read the file if the signature does not match this value.

2	Version: always equal to 1. Do not try to read the file if the version does not match this value. (**PSB** version is 2.)
6	Reserved: must be zero.
2	The number of channels in the image, including any alpha channels. Supported range is 1 to 56.
4	The height of the image in pixels. Supported range is 1 to 30,000. (**PSB** max of 300,000.)
4	The width of the image in pixels. Supported range is 1 to 30,000. (*PSB** max of 300,000)
2	Depth: the number of bits per channel. Supported values are 1, 8, 16 and 32.
2	The color mode of the file. Supported values are: Bitmap = 0; Grayscale = 1; Indexed = 2; RGB = 3; CMYK = 4; Multichannel = 7; Duotone = 8; Lab = 9.

Color Mode Data Section

The color mode data section is structured as follows:

Color mode data section

Length	Description
4	The length of the following color data.
Variable	The color data.

Only indexed color and duotone (see the mode field in the [File header section](#)) have color mode data. For all other modes, this section is just the 4-byte length field, which is set to zero.

Indexed color images: length is 768; color data contains the color table for the image, in non-interleaved order.

Duotone images: color data contains the duotone specification (the format of which is not documented). Other applications that read Photoshop files can treat a duotone image as a gray image, and just preserve the contents of the duotone information when reading and writing the file.

Image Resources Section

The third section of the file contains image resources. It starts with a length field, followed by a series of resource blocks.

Image resources section

Length	Description
4	Length of image resource section. The length may be zero.
Variable	Image resources (Image Resource Blocks).

Image Resource Blocks

Image resource blocks are the basic building unit of several file formats, including Photoshop's native file format, JPEG, and TIFF. Image resources are used to store non-pixel data associated with images, such as pen tool paths.

They are referred to as resource blocks because they hold data that was stored in the Macintosh's resource fork in early versions of Photoshop.

The basic structure of image resource blocks is shown in the [Image resource block](#). The last field is the data area, which varies by resource type. The makeup of each resource type is described in the following sections.

Image resource block

Length	Description
4	Signature: '8BIM'
2	Unique identifier for the resource. Image resource IDs contains a list of resource IDs used by Photoshop.

Variable	Name: Pascal string, padded to make the size even (a null name consists of two bytes of 0)
4	Actual size of resource data that follows
Variable	The resource data, described in the sections on the individual resource types. It is padded to make the size even.

Image Resource IDs

Image resources use several standard ID numbers, as shown in the [Image resource IDs](#). Not all file formats use all ID's. Some information may be stored in other sections of the file.

For those resource IDs that have been added since Photoshop 3.0. the entry indicates the version in which they were introduced, e.g. (*Photoshop 6.0*).

Image resource IDs

ID		Description
Hex	Decimal	
0x03E8	1000	<i>(Obsolete--Photoshop 2.0 only)</i> Contains five 2-byte values: number of channels, rows, columns, depth, and mode
0x03E9	1001	Macintosh print manager print info record
0x03EB	1003	<i>(Obsolete--Photoshop 2.0 only)</i> Indexed color table
0x03ED	1005	ResolutionInfo structure See Appendix A in Photoshop API Guide.pdf.
0x03EE	1006	Names of the alpha channels as a series of Pascal strings.
0x03EF	1007	<i>(Obsolete)</i> See ID 1077 DisplayInfo structure See Appendix A in Photoshop API Guide.pdf.
0x03F0	1008	The caption as a Pascal string.
0x03F1	1009	Border information Contains a fixed number (2 bytes real, 2 bytes fraction) for the border width, and 2 bytes for border units (1 = inches, 2 = cm, 3 = points, 4 = picas, 5 = columns).
0x03F2	1010	Background color. See See Color structure .
0x03F3	1011	Print flags A series of one-byte boolean values (see Page Setup dialog): labels, crop marks, color bars, registration marks, negative, flip, interpolate, caption, print flags.
0x03F4	1012	Grayscale and multichannel halftoning information
0x03F5	1013	Color halftoning information
0x03F6	1014	Duotone halftoning information
0x03F7	1015	Grayscale and multichannel transfer function
0x03F8	1016	Color transfer functions
0x03F9	1017	Duotone transfer functions
0x03FA	1018	Duotone image information
0x03FB	1019	Two bytes for the effective black and white values for the dot range
0x03FC	1020	<i>(Obsolete)</i>
0x03FD	1021	EPS options
0x03FE	1022	Quick Mask information 2 bytes containing Quick Mask channel ID; 1- byte boolean indicating whether the mask was initially empty.
0x03FF	1023	<i>(Obsolete)</i>
0x0400	1024	Layer state information 2 bytes containing the index of target layer (0 = bottom layer).
0x0401	1025	Working path (not saved) See See Path resource format .

0x0402	1026	Layers group information 2 bytes per layer containing a group ID for the dragging groups. Layers in a group have the same group ID.
0x0403	1027	<i>(Obsolete)</i>
0x0404	1028	IPTC-NAA record Contains the File Info... information. See the documentation in the IPTC folder of the Documentation folder.
0x0405	1029	Image mode for raw format files
0x0406	1030	JPEG quality. Private.
0x0408	1032	<i>(Photoshop 4.0)</i> Grid and guides information See See Grid and guides resource format.
0x0409	1033	<i>(Photoshop 4.0)</i> Thumbnail resource for Photoshop 4.0 only See See Thumbnail resource format.
0x040A	1034	<i>(Photoshop 4.0)</i> Copyright flag Boolean indicating whether image is copyrighted. Can be set via Property suite or by user in File Info...
0x040B	1035	<i>(Photoshop 4.0)</i> URL Handle of a text string with uniform resource locator. Can be set via Property suite or by user in File Info...
0x040C	1036	<i>(Photoshop 5.0)</i> Thumbnail resource (supersedes resource 1033) See See Thumbnail resource format.
0x040D	1037	<i>(Obsolete)</i> See ID 1073 <i>(Photoshop 5.0)</i> Global Angle 4 bytes that contain an integer between 0 and 359, which is the global lighting angle for effects layer. If not present, assumed to be 30.
0x040E	1038	<i>(Obsolete)</i> See ID 1073 below. <i>(Photoshop 5.0)</i> Color samplers resource See See Color samplers resource format.
0x040F	1039	<i>(Photoshop 5.0)</i> ICC Profile The raw bytes of an ICC (International Color Consortium) format profile. See ICC1v42_2006-05.pdf in the Documentation folder and icProfileHeader.h in Sample Code\Common\Includes.
0x0410	1040	<i>(Photoshop 5.0)</i> Watermark One byte.
0x0411	1041	<i>(Photoshop 5.0)</i> ICC Untagged Profile 1 byte that disables any assumed profile handling when opening the file. 1 = intentionally untagged.
0x0412	1042	<i>(Photoshop 5.0)</i> Effects visible 1-byte global flag to show/hide all the effects layer. Only present when they are hidden.
0x0413	1043	<i>(Photoshop 5.0)</i> Spot Halftone 4 bytes for version, 4 bytes for length, and the variable length data.
0x0414	1044	<i>(Photoshop 5.0)</i> Document-specific IDs seed number 4 bytes: Base value, starting at which layer IDs will be generated (or a greater value if existing IDs already exceed it). Its purpose is to avoid the case where we add layers, flatten, save, open, and then add more layers that end up with the same IDs as the first set.
0x0415	1045	<i>(Photoshop 5.0)</i> Unicode Alpha Names Unicode string (4 bytes length followed by string).
0x0416	1046	<i>(Photoshop 6.0)</i> Indexed Color Table Count 2 bytes for the number of colors in table that are actually defined
0x0417	1047	<i>(Photoshop 6.0)</i> Transparency Index. 2 bytes for the index of transparent color, if any.
0x0419	1049	<i>(Photoshop 6.0)</i> Global Altitude 4 byte entry for altitude
0x041A	1050	<i>(Photoshop 6.0)</i> Slices See See Slices resource format.
0x041B	1051	<i>(Photoshop 6.0)</i> Workflow URL Unicode string

0x041C	1052	(<i>Photoshop 6.0</i>) Jump To XPEP 2 bytes major version, 2 bytes minor version, 4 bytes count. Following is repeated for count: 4 bytes block size, 4 bytes key, if key = 'jtDd', then next is a Boolean for the dirty flag; otherwise it's a 4 byte entry for the mod date.
0x041D	1053	(<i>Photoshop 6.0</i>) Alpha Identifiers 4 bytes of length, followed by 4 bytes each for every alpha identifier.
0x041E	1054	(<i>Photoshop 6.0</i>) URL List 4 byte count of URLs, followed by 4 byte long, 4 byte ID, and Unicode string for each count.
0x0421	1057	(<i>Photoshop 6.0</i>) Version Info 4 bytes version, 1 byte <code>hasRealMergedData</code> , Unicode string: writer name, Unicode string: reader name, 4 bytes file version.
0x0422	1058	(<i>Photoshop 7.0</i>) EXIF data 1 See http://www.kodak.com/global/plugins/acrobat/en/service/digCam/exifStandard2.pdf
0x0423	1059	(<i>Photoshop 7.0</i>) EXIF data 3 See http://www.kodak.com/global/plugins/acrobat/en/service/digCam/exifStandard2.pdf
0x0424	1060	(<i>Photoshop 7.0</i>) XMP metadata File info as XML description. See http://www.adobe.com/devnet/xmp/
0x0425	1061	(<i>Photoshop 7.0</i>) Caption digest 16 bytes: RSA Data Security, MD5 message-digest algorithm
0x0426	1062	(<i>Photoshop 7.0</i>) Print scale 2 bytes style (0 = centered, 1 = size to fit, 2 = user defined). 4 bytes x location (floating point). 4 bytes y location (floating point). 4 bytes scale (floating point)
0x0428	1064	(<i>Photoshop CS</i>) Pixel Aspect Ratio 4 bytes (version = 1 or 2), 8 bytes double, x / y of a pixel. Version 2, attempting to correct values for NTSC and PAL, previously off by a factor of approx. 5%.
0x0429	1065	(<i>Photoshop CS</i>) Layer Comps 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure)
0x042A	1066	(<i>Photoshop CS</i>) Alternate Duotone Colors 2 bytes (version = 1), 2 bytes count, following is repeated for each count: [Color: 2 bytes for space followed by 4 * 2 byte color component], following this is another 2 byte count, usually 256, followed by Lab colors one byte each for L, a, b This resource is not read or used by Photoshop.
0x042B	1067	(<i>Photoshop CS</i>) Alternate Spot Colors 2 bytes (version = 1), 2 bytes channel count, following is repeated for each count: 4 bytes channel ID, Color: 2 bytes for space followed by 4 * 2 byte color component This resource is not read or used by Photoshop.
0x042D	1069	(<i>Photoshop CS2</i>) Layer Selection ID(s) 2 bytes count, following is repeated for each count: 4 bytes layer ID
0x042E	1070	(<i>Photoshop CS2</i>) HDR Toning information
0x042F	1071	(<i>Photoshop CS2</i>) Print info
0x0430	1072	(<i>Photoshop CS2</i>) Layer Group(s) Enabled ID 1 byte for each layer in the document, repeated by length of the resource. NOTE: Layer groups have start and end markers
0x0431	1073	(<i>Photoshop CS3</i>) Color samplers resource. Also see ID 1038 for old format. See See Color samplers resource format .
0x0432	1074	(<i>Photoshop CS3</i>) Measurement Scale 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure)
0x0433	1075	(<i>Photoshop CS3</i>) Timeline Information 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure)
0x0434	1076	(<i>Photoshop CS3</i>) Sheet Disclosure 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure)
0x0435	1077	(<i>Photoshop CS3</i>) <code>DisplayInfo</code> structure to support floating point colors. Also see ID 1007. See Appendix A in Photoshop API Guide.pdf .
0x0436	1078	(<i>Photoshop CS3</i>) Onion Skins 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure)

0x0438	1080	(<i>Photoshop CS4</i>) Count Information 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure) Information about the count in the document. See the Count Tool.
0x043A	1082	(<i>Photoshop CS5</i>) Print Information 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure) Information about the current print settings in the document. The color management options.
0x043B	1083	(<i>Photoshop CS5</i>) Print Style 4 bytes (descriptor version = 16), Descriptor (see See Descriptor structure) Information about the current print style in the document. The printing marks, labels, ornaments, etc.
0x043C	1084	(<i>Photoshop CS5</i>) Macintosh NSPrintInfo Variable OS specific info for Macintosh. NSPrintInfo. It is recommended that you do not interpret or use this data.
0x043D	1085	(<i>Photoshop CS5</i>) Windows DEVMODE Variable OS specific info for Windows. DEVMODE. It is recommended that you do not interpret or use this data.
0x043E	1086	(<i>Photoshop CS6</i>) Auto Save File Path Unicode string. It is recommended that you do not interpret or use this data.
0x043F	1087	(<i>Photoshop CS6</i>) Auto Save Format Unicode string. It is recommended that you do not interpret or use this data.
0x07D0-0x0BB6	2000-2997	Path Information (saved paths) See See Path resource format .
0x0BB7	2999	Name of clipping path See See Path resource format .
0x0FA0-0x1387	4000-4999	Plug-In resource(s). Resources added by a plug-in. See the plug-in API found in the SDK documentation
0x1B58	7000	Image Ready variables XML representation of variables definition
0x1B59	7001	Image Ready data sets
0x1F40	8000	(<i>Photoshop CS3</i>) Lightroom workflow, if present the document is in the middle of a Lightroom workflow.
0x2710	10000	Print flags information 2 bytes version (= 1), 1 byte center crop marks, 1 byte (= 0), 4 bytes bleed width value, 2 bytes bleed width scale.

The following sections describe some of the resource formats in more detail.

Grid and guides resource format

Photoshop stores grid and guides information for an image in an image resource block. Each of these resource blocks consists of an initial 16-byte grid and guide header, which is always present, followed by 5-byte blocks of specific guide information for guide direction and location, which are present if there are guides (`fGuideCount > 0`).

Grid and guide header

Length	Description
4	Version (= 1)
8	Future implementation of document-specific grids (4 bytes horizontal, 4 bytes vertical). Currently, sets the grid cycle to every quarter inch, i.e. 576 for both horizontal & vertical (at 72 dpi, that is $18 * 32 = 576$)
4	<code>fGuideCount</code> : Number of guide resource blocks (can be 0).

Guide resource block

Length	Description
4	Location of guide in document coordinates. Since the guide is either vertical or horizontal, this only has to be one component of the coordinate.
1 VHSelect	Direction of guide. VHSelect is a system type of <code>unsigned char</code> where 0 = vertical, 1 = horizontal.

Grid and guide information may be modified using the Property suite. See the Callbacks chapter in [Photoshop API Guide.pdf](#) for more information.

Thumbnail resource format

Adobe Photoshop (version 5.0 and later) stores thumbnail information for preview display in an image resource block that consists of an initial 28-byte header, followed by a JFIF thumbnail in RGB (red, green, blue) order for both Macintosh and Windows.

Adobe Photoshop 4.0 stored the thumbnail information in the same format except the data section is BGR (blue, green, red). The 4.0 format is at resource ID 1033 and the 5.0 format is at resource ID 1036.

Thumbnail resource header

Length	Description
4	Format. 1 = kJpegRGB . Also supports kRawRGB (0).
4	Width of thumbnail in pixels.
4	Height of thumbnail in pixels.
4	Widthbytes: Padded row bytes = (width * bits per pixel + 31) / 32 * 4.
4	Total size = widthbytes * height * planes
4	Size after compression. Used for consistency check.
2	Bits per pixel. = 24
2	Number of planes. = 1
Variable	JFIF data in RGB format. For resource ID 1033 the data is in BGR format.

Color samplers resource format

Adobe Photoshop (version 5.0 and later) stores color samplers information for an image in an image resource block that consists of an initial 8-byte color samplers header followed by a variable length block of specific color samplers information.

Color Samplers header

Length	Description
4	Version (= 1, 2 or 3)
4	Number of color samplers to follow. See See Color Samplers resource block.

Color Samplers resource block

Length	Description
4	Version of color samplers, 1 for version 3. (Version 3 only) .
8	The horizontal and vertical position of the point (4 bytes each). Version 1 is a fixed value. Version 2 is a float value.
2	Color Space: enum { colorCodeDummy = -1, RGB, HSB, CMYK, Pantone, Focoltone, Trumatch, Toyo, Lab, Gray, WideCMYK, HKS, DIC, TotalInk, MonitorRGB, Duotone, Opacity, Web, GrayFloat, RGBFloat, OpacityFloat};
2	Depth (Version 2 only)

Path resource format

Photoshop stores the paths saved with an image in an image resource block. These resource blocks consist of a series of 26-byte path point records, so the resource length should always be a multiple of 26.

Photoshop stores its paths as resources of type `8BIM`, with IDs in the range 2000 through 2997. These numbers should be reserved for Photoshop. The name of the resource is the name given to the path when it was saved.

If the file contains a resource of type `8BIM` with an ID of 2999, then this resource contains a Pascal-style string containing the name of the clipping path to use with this image when saving it as an EPS file. 4 byte fixed value for flatness and 2 byte fill rule. 0 = same fill rule, 1 = even odd fill rule, 2 = non zero winding fill rule. The fill rule is ignored by Photoshop.

The path format returned by `GetProperty()` call is identical to what is described below. Refer to the `IllustratorExport` sample plug-in code to see how this resource data is constructed.

Path points

All points used in defining a path are stored in eight bytes as a pair of 32-bit components, vertical component first.

The two components are signed, fixed point numbers with 8 bits before the binary point and 24 bits after the binary point. Three guard bits are reserved in the points to eliminate most concerns over arithmetic overflow. Hence, the range for each component is `0xF0000000` to `0x0FFFFFFF` representing a range of -16 to 16. The lower bound is included, but not the upper bound.

This limited range is used because data points are expressed relative to the image size. The vertical component is given with respect to the image height, and the horizontal component is given with respect to the image width. [0, 0] represents the top-left corner of the image; [1, 1] ((0x01000000, 0x01000000)) represents the bottom-right.

In Windows, the byte order of the path point components are reversed; you should swap the bytes when accessing each 32-bit value.

Path records

The data in a path resource consists of one or more 26-byte records. The first two bytes of each record is a selector to indicate what kind of path it is. For Windows, you should swap the bytes before accessing it as a short.

Path data record types

Selector	Description
0	Closed subpath length record
1	Closed subpath Bezier knot, linked
2	Closed subpath Bezier knot, unlinked
3	Open subpath length record
4	Open subpath Bezier knot, linked
5	Open subpath Bezier knot, unlinked
6	Path fill rule record
7	Clipboard record
8	Initial fill rule record

The first 26-byte path record contains a selector value of 6, path fill rule record. The remaining 24 bytes of the first record are zeroes. Paths use even/odd ruling. Subpath length records, selector value 0 or 3, contain the number of Bezier knot records in bytes 2 and 3. The remaining 22 bytes are unused, and should be zeroes. Each length record is then immediately followed by the Bezier knot records describing the knots of the subpath.

In Bezier knot records, the 24 bytes following the selector field contain three path points (described above) for:

the control point for the Bezier segment preceding the knot,

the anchor point for the knot, and

the control point for the Bezier segment leaving the knot.

Linked knots have their control points linked. Editing one point modifies the other to preserve collinearity. Knots should only be marked as having linked controls if their control points are collinear with their anchor. The control points on unlinked knots are independent of each other. Refer to the *Adobe Photoshop User Guide* for more information.

Clipboard records, `selector=7`, contain four fixed-point numbers for the bounding rectangle (top, left, bottom, right), and a single fixed-point number indicating the resolution.

Initial fill records, `selector=8`, contain one two byte record. A value of 1 means that the fill starts with all pixels. The value will be either 0 or 1.

Slices resource format

Adobe Photoshop 6.0 and later stores slices information for an image in an image resource block .

Slices header

Length	Description
4	Version (= 6)
4 * 4	Bounding rectangle for all of the slices: top, left, bottom, right of all the slices
Variable	Name of group of slices: Unicode string
4	Number of slices to follow. See Slices resource block in the next table.

Slices resource block

Length	Description
4	ID
4	Group ID
4	Origin

4	Associated Layer ID Only present if Origin = 1
Variable	Name: Unicode string
4	Type
4 * 4	Left, top, right, bottom positions
Variable	URL: Unicode string
Variable	Target: Unicode string
Variable	Message: Unicode string
Variable	Alt Tag: Unicode string
1	Cell text is HTML: Boolean
Variable	Cell text: Unicode string
4	Horizontal alignment
4	Vertical alignment
1	Alpha color
1	Red
1	Green
1	Blue

Vanishing point resource format

Adobe Photoshop CS2 (9.0) and later stores vanishing point information for an image in an image resource block. The entire resource is a string with an id of `tnaF` on Windows and `FaNt` on the Macintosh. The structure of the resource is as follows:

Vocabulary:

Relation - a set of related planes.

Root Plane - the first plane in a relation.

Calibration Order - an ordering of the planes in a relation starting with the root plane, depth first, recursive traversal of the planes that are attached to the given plane.

Basics:

A planes area is represented as a clipped area of vanish rays. A Ray defines one of the virtual sides of the plane's area. A Ray's structure keeps track of information needed for tearing off and orientation issues. Parallel rays must point at the same VPID. A Primary ray's origin represents the point on the plane that is farthest from both VPs. The two primary rays share an origin.

```

version = 101
number of relations to follow.
-- for each relation--
grid resolution for the root plane
number of planes to follow
-- for each plane in calibration order--
ID of the plane
ID of the plane that calibrates this plane 0 if none
-- for 4 rays --
origin position of the ray. Point
VP location - must be consistent across all planes in the relation unless it is an endpoint. Point
true if the VP location is an endpoint
ID that this ray points at.
Ray DI (see below)

```

```

+++++
I/O appendix
Point - two doubles; h endl, v endl
VPID - int (enum value) 0,1,2 identifying 1 of 3 possible VPs
RayID - 1, One of the primary rays directly connected to the shared origin
3, a non-primary ray parallel to 7
5, a non-primary ray parallel to 1
7, One of the primary rays directly connected to the shared origin .

```

Layer and Mask Information Section

The fourth section of a Photoshop file contains information about layers and masks. This section of the document describes the formats of layer and mask records.

The complete merged image data is not stored here. The complete merged/composite image resides in the last section of the file. See [See Image Data Section](#). If maximize compatibility is unchecked then the merged/composite is not created and the layer data must be read to reproduce the final image.

[See Layer and mask information section](#) shows the overall structure of this section. If there are no layers or masks, this section is just 4 bytes: the length field, which is set to zero. (**PSB** length is 8 bytes)

`Layr`, `Lr16` and `Lr32` start at [See Layer info](#). NOTE: The length of the section may already be known.)

When parsing this section pay close attention to the length of sections.

Layer and mask information section

Length	Description
4	Length of the layer and mask information section. (**PSB** length is 8 bytes.)
Variable	Layer info (see See Layer info for details).
Variable	Global layer mask info (see See Global layer mask info for details).
Variable	(<i>Photoshop 4.0 and later</i>) Series of tagged blocks containing various types of data. See See Additional Layer Information for the list of the types of data that can be included here.

[See Layer info](#) shows the high-level organization of the layer information.

Layer info

Length	Description
4	Length of the layers info section, rounded up to a multiple of 2. (**PSB** length is 8 bytes.)
2	Layer count. If it is a negative number, its absolute value is the number of layers and the first alpha channel contains the transparency data for the merged result.
Variable	Information about each layer. See Layer records describes the structure of this information for each layer.
Variable	Channel image data. Contains one or more image data records (see See Channel image data for structure) for each layer. The layers are in the same order as in the layer information (previous row of this table).

Layer records

Length	Description
4 * 4	Rectangle containing the contents of the layer. Specified as top, left, bottom, right coordinates
2	Number of channels in the layer
6 * number of channels	Channel information. Six bytes per channel, consisting of: 2 bytes for Channel ID: 0 = red, 1 = green, etc.; -1 = transparency mask; -2 = user supplied layer mask, -3 real user supplied layer mask (when both a user mask and a vector mask are present) 4 bytes for length of corresponding channel data. (**PSB** 8 bytes for length of corresponding channel data.) See See Channel image data for structure of channel data.
4	Blend mode signature: '8BIM'
4	Blend mode key: 'pass' = pass through, 'norm' = normal, 'diss' = dissolve, 'dark' = darken, 'mul' = multiply, 'idiv' = color burn, 'lbrn' = linear burn, 'dkCl' = darker color, 'lite' = lighten, 'scrn' = screen, 'div' = color dodge, 'lddg' = linear dodge, 'lgCl' = lighter color, 'over' = overlay, 'sLit' = soft light, 'hLit' = hard light, 'vLit' = vivid light, 'lLit' = linear light, 'pLit' = pin light, 'hMix' = hard mix, 'diff' = difference, 'smud' = exclusion, 'fsub' = subtract, 'fdiv' = divide 'hue' = hue, 'sat' = saturation, 'colr' = color, 'lum' = luminosity,
1	Opacity. 0 = transparent ... 255 = opaque
1	Clipping: 0 = base, 1 = non-base
1	Flags: bit 0 = transparency protected; bit 1 = visible; bit 2 = obsolete;

	bit 3 = 1 for Photoshop 5.0 and later, tells if bit 4 has useful information; bit 4 = pixel data irrelevant to appearance of document
1	Filler (zero)
4	Length of the extra data field (= the total length of the next five fields).
Variable	Layer mask data: See See Layer mask / adjustment layer data for structure. Can be 40 bytes, 24 bytes, or 4 bytes if no layer mask.
Variable	Layer blending ranges: See See Layer blending ranges data .
Variable	Layer name: Pascal string, padded to a multiple of 4 bytes.

Layer mask / adjustment layer data

Length	Name
4	Size of the data: 36, 20, or 0. If zero, the following fields are not present
4 * 4	Rectangle enclosing layer mask: Top, left, bottom, right
1	Default color. 0 or 255
1	Flags. bit 0 = position relative to layer bit 1 = layer mask disabled bit 2 = invert layer mask when blending
2	Padding. Only present if size = 20. Otherwise the following is present
1	Real Flags. Same as Flags information above.
1	Real user mask background. 0 or 255. Same as Flags information above.
4 * 4	Rectangle enclosing layer mask: Top, left, bottom, right.

Layer blending ranges data

Length	Name
4	Length of layer blending ranges data
4	Composite gray blend source. Contains 2 black values followed by 2 white values. Present but irrelevant for Lab & Grayscale.
4	Composite gray blend destination range
4	First channel source range
4	First channel destination range
4	Second channel source range
4	Second channel destination range
...	...
4	Nth channel source range
4	Nth channel destination range

Channel image data

Length	Description
2	Compression. 0 = Raw Data, 1 = RLE compressed, 2 = ZIP without prediction, 3 = ZIP with prediction.
Variable	Image data. If the compression code is 0, the image data is just the raw image data, whose size is calculated as $(\text{LayerBottom} - \text{LayerTop}) * (\text{LayerRight} - \text{LayerLeft})$ (from the first field in See Layer records). If the compression code is 1, the image data starts with the byte counts for all the scan lines in the channel $(\text{LayerBottom} - \text{LayerTop})$, with each count stored as a two-byte value. (**PSB** each count stored as a four-byte value.) The RLE compressed data follows, with each scan line compressed separately. The RLE compression is the same compression algorithm used by the Macintosh ROM routine PackBits, and the TIFF standard. If the layer's size, and therefore the data, is odd, a pad byte will be inserted at the end of the row. If the layer is an adjustment layer, the channel data is undefined (probably all white.)

Global layer mask info

Length	Description
4	Length of global layer mask info section.
2	Overlay color space (undocumented).
8	4 * 2 byte color components
2	Opacity. 0 = transparent, 100 = opaque.
1	Kind. 0 = Color selected--i.e. inverted; 1 = Color protected; 128 = use value stored per layer. This value is preferred. The others are for backward compatibility with beta versions.
Variable	Filler: zeros

Additional Layer Information

There are several types of layer information that have been added in Photoshop 4.0 and later. These exist at the end of the layer records structure (see the last row of [See Layer records](#)). They have the following structure:

Additional layer information

Length	Description
4	Signature: '8BIM' or '8B64'
4	Key: a 4-character code (See individual sections)
4	Length data below, rounded up to an even byte count. (*PSB*, the following keys have a length count of 8 bytes: LMsk, Lr16, Lr32, Layr, Mt16, Mt32, Mtrn, Alph, FMsk, Ink2, FEid, FXid, PxSD.
Variable	Data (See individual sections)

The following sections describe the different types of data available, their keys and their format.

Adjustment layer (*Photoshop 4.0*)

Adjustment layers can have one of the following keys:

'SoCo' = Solid Color

'GdFl' = Gradient

'PtFl' = Pattern

'brit' = Brightness/Contrast

'levl' = Levels

'curv' = Curves

'expA' = Exposure

'vibA' = Vibrance

'hue ' = Old Hue/saturation, Photoshop 4.0

'hue2' = New Hue/saturation, Photoshop 5.0

'blnc' = Color Balance

'blwh' = Black and White

'phfl' = Photo Filter

'mixr' = Channel Mixer

'clrL' = Color Lookup

'nvert' = Invert

'post' = Posterize

'thrs' = Threshold

'grdm' = Gradient Map

'selc' = Selective color

The data for the adjustment layer is the same as the load file formats for each format. See [See Additional File Formats](#) for information.

Effects Layer (*Photoshop 5.0*)

The key for the effects layer is '1rFX'. The data has the following format:

Effects Layer info

Length	Description
2	Version: 0
2	Effects count: may be 6 (for the 6 effects in Photoshop 5 and 6) or 7 (for Photoshop 7.0)
The next three items are repeated for each of the effects.	
4	Signature: '8BIM'
4	Effects signatures: OSType key for which effects type to use: 'cmnS' = common state (see See Effects layer, common state info) 'dsdw' = drop shadow (see See Effects layer, drop shadow and inner shadow info) 'isdw' = inner shadow (see See Effects layer, drop shadow and inner shadow info) 'oglw' = outer glow (see See Effects layer, outer glow info) 'iglw' = inner glow (see See Effects layer, inner glow info) 'bevl' = bevel (see See Effects layer, bevel info) 'sofi' = solid fill (<i>Photoshop 7.0</i>) (see See Effects layer, solid fill (added in Photoshop 7.0))
Variable	See appropriate tables.

Effects layer, common state info

Length	Description
4	Size of next three items: 7
4	Version: 0
1	Visible: always true
2	Unused: always 0

Effects layer, drop shadow and inner shadow info

Length	Description
4	Size of the remaining items: 41 or 51 (depending on version)
4	Version: 0 (<i>Photoshop 5.0</i>) or 2 (<i>Photoshop 5.5</i>)
4	Blur value in pixels
4	Intensity as a percent
4	Angle in degrees
4	Distance in pixels
10	Color: 2 bytes for space followed by 4 * 2 byte color component
8	Blend mode: 4 bytes for signature and 4 bytes for key
1	Effect enabled
1	Use this angle in all of the layer effects
1	Opacity as a percent
10	Native color: 2 bytes for space followed by 4 * 2 byte color component

Effects layer, outer glow info

Length	Description
4	Size of the remaining items: 32 for Photoshop 5.0; 42 for 5.5
4	Version: 0 for Photoshop 5.0; 2 for 5.5
4	Blur value in pixels.
4	Intensity as a percent

10	Color: 2 bytes for space followed by 4 * 2 byte color component
8	Blend mode: 4 bytes for signature and 4 bytes for the key
1	Effect enabled
1	Opacity as a percent
10	(Version 2 only) Native color space. 2 bytes for space followed by 4 * 2 byte color component

Effects layer, inner glow info

Length	Description
4	Size of the remaining items: 33 for Photoshop 5.0; 43 for 5.5
4	Version: 0 for Photoshop 5.0; 2 for 5.5.
4	Blur value in pixels.
4	Intensity as a percent
10	Color: 2 bytes for space followed by 4 * 2 byte color component
8	Blend mode: 4 bytes for signature and 4 bytes for the key
1	Effect enabled
1	Opacity as a percent
Remaining fields present only in version 2	
1	Invert
10	(Version 2 only) Native color space. 2 bytes for space followed by 4 * 2 byte color component

Effects layer, bevel info

Length	Description
4	Size of the remaining items (58 for version 0, 78 for version 20)
4	Version: 0 for Photoshop 5.0; 2 for 5.5
4	Angle in degrees
4	Strength. Depth in pixels
4	Blur value in pixels.
8	Highlight blend mode: 4 bytes for signature and 4 bytes for the key
8	Shadow blend mode: 4 bytes for signature and 4 bytes for the key
10	Highlight color: 2 bytes for space followed by 4 * 2 byte color component
10	Shadow color: 2 bytes for space followed by 4 * 2 byte color component
1	Bevel style
1	Highlight opacity as a percent
1	Shadow opacity as a percent
1	Effect enabled
1	Use this angle in all of the layer effects
1	Up or down
The following are present in version 2 only	
10	Real highlight color: 2 bytes for space; 4 * 2 byte color component
10	Real shadow color: 2 bytes for space; 4 * 2 byte color component

Effects layer, solid fill (added in Photoshop 7.0)

Length	Description
4	Size: 34
4	Version: 2

4	Key for blend mode
10	Color space
1	Opacity
1	Enabled
10	Native color space

Type Tool Info (*Photoshop 5.0 and 5.5 only*)

Has been superseded in Photoshop 6.0 and beyond by a different structure with the key 'TySh' (see [See Type tool object setting \(Photoshop 6.0\)](#) [See Type tool object setting](#)).

Key is ' tySh' . Data is as follows:

Type tool Info

Length	Description
2	Version (= 1)
48	6 * 8 double precision numbers for the transform information
<i>Font information</i>	
2	Version (= 6)
2	Count of faces
The next 8 fields are repeated for each count specified above	
2	Mark value
4	Font type data
Variable	Pascal string of font name
Variable	Pascal string of font family name
Variable	Pascal string of font style name
2	Script value
4	Number of design axes vector to follow
4	Design vector value
<i>Style information</i>	
2	Count of styles
The next 10 fields are repeated for each count specified above	
2	Mark value
2	Face mark value
4	Size value
4	Tracking value
4	Kerning value
4	Leading value
4	Base shift value
1	Auto kern on/off
1	Only present in version <= 5
1	Rotate up/down
<i>Text information</i>	
2	Type value
4	Scaling factor value
4	Sharacter count value
4	Horizontal placement
4	Vertical placement
4	Select start value
4	Select end value

2	Line count, i.e. the number of items to follow.
The next 5 fields are repeated for each item in line count.	
4	Character count value
2	Orientation value
2	Alignment value
2	Actual character as a double byte character
2	Style value
<i>Color information</i>	
2	Color space value
8	4 * 2 byte color component
1	Anti alias on/off

Unicode layer name (*Photoshop 5.0*)

Key is 'luni' . Data is as follows:

Unicode Layer name

Length	Description
Variable	Unicode string (4 bytes length + string).

Layer ID (*Photoshop 5.0*)

Key is 'lyid' .

Layer ID

Length	Description
4	Signature: '8BIM'
4	Key: 'lyid'
4	Length: 4
4	ID.

Object-based effects layer info (*Photoshop 6.0*)

Key is 'lfx2' . Data is as follows:

Object Based Effects Layer info

Length	Description
4	Object effects version: 0
4	Descriptor version (= 16 for Photoshop 6.0).
Variable	Descriptor (see See Descriptor structure)

Patterns (*Photoshop 6.0 and CS (8.0)*)

This is a list of patterns. Key is 'Patt', 'Pat2' or 'Pat3' . Data is as follows:

Patterns

Length	Description
The following is repeated for each pattern.	
4	Length of this pattern
4	Version (=1)
4	The image mode of the file. Supported values are: Bitmap = 0; Grayscale = 1; Indexed = 2; RGB = 3; CMYK = 4; Multichannel = 7; Duotone = 8; Lab = 9.

4	Point: vertical, 2 bytes and horizontal, 2 bytes
Variable	Name: Unicode string
Variable	Unique ID for this pattern: Pascal string
Variable	Index color table (256 * 3 RGB values): only present when image mode is indexed color
Variable	Pattern data as Virtual Memory Array List

Virtual Memory Array List

Length	Description
4	Version
4	Length
32	Rectangle: top, left, bottom, right
4	Max channels
The following is a <i>virtual memory array</i> , repeated for the number of channels in the image mode, not to exceed the max channels.	
4	Boolean indicating whether array is written
4	Length
4	Pixel depth: 1, 8 or 16
1	Compression mode of data to follow. 'Pat2' compression is zip.
Variable	Actual data based on parameters and compression

Annotations (*Photoshop 6.0*)

Key is 'Anno' . Data is as follows:

Annotations

Length	Description
2	Major version (= 2)
2	Minor version. (= 1)
4	Count of annotations to follow
Following is repeated for each annotation	
4	Length of this annotation
4	Annotation type: either text('txtA') or sound ('sndA').
1	Is the annotation open
1	Flags.
2	Optional blocks. (=1 for Photoshop 6.0)
16	Rectangle of icon location: top, left, bottom and right.
16	Rectangle of popup locations: top, left, bottom and right
10	2 bytes for space followed by 4 * 2 byte color component
Variable	Pascal string of author's name aligned to 2 bytes
Variable	Pascal string of name aligned to 2 bytes
Variable	Pascal string of the mod Date aligned to 2 bytes
4	Length of the following 3 fields including this field
4	' txtC ' or ' sndM'. Either text or sound
4	Length of the next field
Variable	Actual data for this annotation. The text is an ASCII or Unicode string; the sound annotation is documented in the <i>PDF Reference</i> , available at http://Partners.adobe.com/asn/developer/acrosdk/docs.html#filefmtspecs
Variable	Padding to align to multiple of 4 bytes

Blend clipping elements (*Photoshop 6.0*)

Key is 'clbl' . Data is as follows:

Blend clipping elements

Length	Description
1	Blend clipped elements: boolean
3	Padding

Blend interior elements (*Photoshop 6.0*)

Key is 'infx' . Data is as follows:

Blend interior elements

Length	Description
1	Blend interior elements: boolean
3	Padding

Knockout setting (*Photoshop 6.0*)

Key is 'knko' . Data is as follows:

Knockout setting

Length	Description
1	Knockout: boolean
3	Padding

Protected setting (*Photoshop 6.0*)

Key is 'lspf' . Data is as follows:

Protected setting

Length	Description
4	Protection flags: bits 0 - 2 are used for Photoshop 6.0. Transparency, composite and position respectively.

Sheet color setting (*Photoshop 6.0*)

Key is 'lclr' . Data is as follows:

Sheet Color setting

Length	Description
4 * 2	Color. Only the first color setting is used for Photoshop 6.0; the rest are zeros

Reference point (*Photoshop 6.0*)

Key is 'fxrp' . Data is as follows:

Reference point

Length	Description
2 * 8	2 double values for the reference point

Gradient settings (Photoshop 6.0)

Key is 'grdm' . Data is as follows:

Gradient settings

Length	Description
2	Version (=1 for Photoshop 6.0)
1	Is gradient reversed
1	Is gradient dithered
Variable	Name of the gradient: Unicode string, padded
2	Number of color stops to follow
Following is repeated for each color stop	
4	Location of color stop
4	Midpoint of color stop
2	Mode for the color to follow
4 * 2	Actual color for the stop
2	Number of transparency stops to follow
Following is repeated for each transparency stop	
4	Location of transparency stop
4	Midpoint of transparency stop
2	Opacity of transparency stop
2	Expansion count (= 2 for Photoshop 6.0)
2	Interpolation if length above is non-zero
2	Length (= 32 for Photoshop 6.0)
2	Mode for this gradient
4	Random number seed
2	Flag for showing transparency
2	Flag for using vector color
4	Roughness factor
2	Color model
4 * 2	Minimum color values
4 * 2	Maximum color values
2	Dummy: not used in Photoshop 6.0

Section divider setting (Photoshop 6.0)

Key is 'lset' . Data is as follows:

Section Divider setting

Length	Description
4	Type. 4 possible values, 0 = any other type of layer, 1 = open "folder", 2 = closed "folder", 3 = bounding section divider, hidden in the UI
Following is only present if length = 12	
4	Signature: '8BIM'
4	Key. See blend mode keys in See Layer records.

Channel blending restrictions setting (Photoshop 6.0)

Key is 'brst' . Data is as follows:

Channel blending restrictions setting

Length	Description
	Following is repeated length / 4 times.
4	Channel number that is restricted

Solid color sheet setting (*Photoshop 6.0*)

Key is 'SoCo' . Data is as follows:

Solid color sheet setting

Length	Description
4	Version (= 16 for Photoshop 6.0)
Variable	Descriptor. Based on the Action file format structure (see See Descriptor structure)

Pattern fill setting (*Photoshop 6.0*)

Key is 'PtFl' . Data is as follows:

Pattern fill setting

Length	Description
4	Version (=16 for Photoshop 6.0)
Variable	Descriptor. Based on the Action file format structure (see See Descriptor structure)

Gradient fill setting (*Photoshop 6.0*)

Key is 'GdFl' . Data is as follows:

Gradient Fill Setting

Length	Description
4 bytes	Version (= 16 for Photoshop 6.0)
Variable	Descriptor. Based on the Action file format structure (see See Descriptor structure)

Vector mask setting (*Photoshop 6.0*)

Key is 'vmsk' or 'vmsm' . If key is 'vmsm' then we are writing for (*Photoshop CS6*) and the document will have a 'vscg' key. Data is as follows:

Vector mask setting

Length	Description
4	Version (= 3 for Photoshop 6.0)
4	Flags. bit 1 = invert, bit 2 = not link, bit 3 = disable
The rest of the data is path components, loop until end of the length.	
Variable	Paths. See See Path resource format

Type tool object setting (*Photoshop 6.0*)

This supersedes the type tool info in Photoshop 5.0 (see [See Type tool Info](#)).

Key is 'TySh' . Data is as follows:

Type tool object setting

Length	Description
2	Version (=1 for Photoshop 6.0)
6 * 8	Transform: xx, xy, yx, yy, tx, and ty respectively.
2	Text version (= 50 for Photoshop 6.0)
4	Descriptor version (= 16 for Photoshop 6.0)
Variable	Text data (see See Descriptor structure)
2	Warp version (= 1 for Photoshop 6.0)
4	Descriptor version (= 16 for Photoshop 6.0)
Variable	Warp data (see See Descriptor structure)
4 * 8	left, top, right, bottom respectively.

Foreign effect ID (Photoshop 6.0)

Key is 'ffxi' . Data is as follows:

Foreign effect ID

Length	Description
4	ID of the Foreign effect.

Layer name source setting (Photoshop 6.0)

Key is 'lnsr' . Data is as follows:

Layer name source setting

Length	Description
4	ID for the layer name

Pattern data (Photoshop 6.0)

Key is 'shpa' . Data is as follows:

Pattern data

Length	Description
4	Version (= 0 for Photoshop 6.0)
4	Count of sets to follow
The following is repeated for the count above.	
4	Pattern signature
4	Pattern key
4	Count of patterns in this set
1	Copy on sheet duplication
3	Padding
The following is repeated for the count of patterns above.	
4	Color handling. Prefer convert = 'conv' , avoid conversion = 'avod' , luminance only = 'lumi'
Variable	Pascal string name of the pattern
Variable	Unicode string name of the pattern
Variable	Pascal string of the unique identifier for the pattern

Metadata setting (Photoshop 6.0)

Key is 'shmd' . Data is as follows:

Metadata setting

Length	Description
4	Count of metadata items to follow
The following is repeated the number of times specified by the count above:	
4	Signature of the data
4	Key of the data
1	Copy on sheet duplication
3	Padding
4	Length of data to follow
Variable	Undocumented data

Layer version (Photoshop 7.0)

Key is 'lyvr' . Data is as follows:

Layer version

Length	Description
4	A 32-bit number representing the version of Photoshop needed to read and interpret the layer without data loss. 70 = 7.0, 80 = 8.0, etc. The minimum value is 70, because just having the field present in 6.0 triggers a warning. For the future, Photoshop 7 checks to see whether this number is larger than the current version -- i.e., 70 -- and if so, warns that it is ignoring some data.

Transparency shapes layer (Photoshop 7.0)

Key is 'tsly' . Data is as follows:

Transparency shapes layer

Length	Description
1	1: the transparency of the layer is used in determining the shape of the effects. This is the default for behavior like previous versions. 0: treated in the same way as fill opacity including modulating blend modes, rather than acting as strict transparency. Using this feature is useful for achieving effects that otherwise would require complex use of clipping groups.
3	Padding

Layer mask as global mask (Photoshop 7.0)

Key is 'lmgm' . Data is as follows:

Layer mask as global mask

Length	Description
1	1: the layer mask is used in a final crossfade masking the layer and effects rather than being used to shape the layer and its effects. This behavior was previously tied to the link status flag for the layer mask. (An unlinked mask acted like a flag value of 1, a linked mask like 0). For old files that lack this key, the link status is used in order to preserve compositing results.
3	Padding

Vector mask as global mask (Photoshop 7.0)

Key is 'vmgm' . Data is as follows:

Vector mask as global mask

Length	Description
1	Same as in See Layer mask as global mask , but applying the vector mask.
3	Padding

Brightness and Contrast

Key is 'brit' . Data is as follows:

Brightness and Contrast

Length	Description
2	Brightness
2	Contrast
2	Mean value for brightness and contrast
1	Lab color only

Channel Mixer

Key is 'mixr' . Data is as follows:

Channel Mixer

Length	Description
2	Version (= 1)
2	Monochrome
20	RGB or CMYK color plus constant for the mixer settings. 4 * 2 bytes of color with 2 bytes of constant.

Color Lookup (*Photoshop CS6*)

Key is 'clrL' . Data is as follows:

Color Lookup

Length	Description
2	Version (= 1)
4	Descriptor Version (= 16)
Variable	Descriptor of black and white information

Placed Layer (replaced by SoLd in Photoshop CS3)

Key is 'plLd' . Data is as follows:

Placed Layer

Length	Description
4	Type (= `plCL;`)
4	Version (= 3)
Variable	Unique ID as a pascal string
4	Page number
4	Total pages

4	Anit alias policy
4	Placed layer type: 0 = unknown, 1 = vector, 2 = raster
4 * 8	Transformation: 8 doubles for x,y location of transform points
4	Warp version (= 0)
4	Warp descriptor version (= 16)
Variable	Descriptor for warping information

Linked Layer

Key is 'lnkD' . Also keys 'lnk2' and 'lnk3' . Data is as follows:

Linked Layer

Length	Description
8	Length of the data to follow
4	Type (= 'liFD')
4	Version (= 2)
Variable	Pascal string. Unique ID.
Variable	Unicode string of the original file name
4	File Type
4	File Creator
8	Length of the data to follow
1	File open descriptor
Variable	Descriptor of open parameters. Only present when above is true.
Variable	Raw bytes of the file.

Photo Filter

Key is 'phf1' . Data is as follows:

Photo Filter

Length	Description
2	Version (= 3) or (= 2)
12	4 bytes each for XYZ color (Only in Version 3)
10	2 bytes color space followed by 4 * 2 bytes color component (Only in Version 2)
4	Density
1	Preserve Luminosity

Black White (Photoshop CS3)

Key is 'blwh' . Data is as follows:

Black White

Length	Description
4	Descriptor Version (= 16)
Variable	Descriptor of black and white information

Content Generator Extra Data (Photoshop CS5)

Key is 'CgEd' . Data is as follows:

Content Generator Extra Data

Length	Description
4	Descriptor Version (= 16)
Variable	Descriptor of extra data

Text Engine Data (Photoshop CS3)

Key is 'Txt2' . Data is as follows:

Text Engine Data

Length	Description
4	Length of data to follow
Variable	Raw bytes for text engine

Vibrance (Photoshop CS3)

Key is 'vibA' . Data is as follows:

Vibrance

Length	Description
4	Descriptor Version (= 16)
Variable	Descriptor of vibrance information

Unicode Path Name (Photoshop CS6)

Key is 'pths' . Data is as follows:

Unicode Path Name

Length	Description
4	Descriptor Version (= 16)
Variable	Descriptor containing a list of unicode path names

Animation Effects (Photoshop CS6)

Key is 'anFX' . Data is as follows:

Animation Effects

Length	Description
4	Descriptor Version (= 16)
Variable	Descriptor containing animation effects

Filter Mask (Photoshop CS3)

Key is 'FMsk' . Data is as follows:

Filter Mask

Length	Description
10	Color space
2	Opacity

Placed Layer Data (*Photoshop CS3*)

Key is 'soLd' . See also '*PILd*' key. Data is as follows:

Filter Mask

Length	Description
4	Identifier (= 'soLD')
4	Version (= 4)
4	Descriptor Version (= 16)
Variable	Descriptor of placed layer information

Vector Stroke Data (*Photoshop CS6*)

Key is 'vscg' . Data is as follows:

Pattern fill setting

Length	Description
4	Key (= 'vsk' for Photoshop CS6)
4	Version (= 16)
Variable	Descriptor. Based on the Action file format structure (see See Descriptor structure)

Using Aligned Rendering (*Photoshop CS6*)

Key is 'sn2P' . Data is as follows:

Using Aligned Rendering

Length	Description
4	Non zero is true for using aligned rendering

Saving Merged Transparency

Key is 'Mtrn', 'Mt16' or 'Mt32' . There is no data associated with these keys.

User Mask

Key is 'LMsk' .

User Mask

Length	Description
10	Color space
2	Opacity
1	Flag (= 128)

Exposure

Key is 'expA' .

Exposure

Length	Description
2	Version (= 1)
4	Exposure
4	Offset
4	Gamma

Filter Effects

Key is 'FXid' or 'FEid' .

Filter Effects

Length	Description
4	Version (=1, 2 or 3)
8	Length of data to follow
The following is repeated for the given length.	
Variable	Pascal string as identifier
4	Version (= 1)
8	Length
16	Rectangle: top, left, bottom, right
4	Depth
4	Max channels
The following is repeated for number of channels + a user mask + a sheet mask.	
4	Boolean indicating whether array is written
8	Length
2	Compression mode of data to follow.
Variable	Actual data based on compression
End of repeating for channels	
1	Next two items present or not
2	Compression mode of data to follow
Variable	Actual data based on compression

Image Data Section

The last section of a Photoshop file contains the image pixel data. Image data is stored in planar order: first all the red data, then all the green data, etc. Each plane is stored in scan-line order, with no pad bytes,

Image data section

Length	Description
2	Compression method: 0 = Raw image data

1 = RLE compressed the image data starts with the byte counts for all the scan lines (rows * channels), with each count stored as a two-byte value. The RLE compressed data follows, with each scan line compressed separately. The RLE compression is the same compression algorithm used by the Macintosh ROM routine `PackBits`, and the TIFF standard.
2 = ZIP without prediction
3 = ZIP with prediction.

Variable The image data. Planar order = RRR GGG BBB, etc.